

Dr.Öğr.Üyesi MUSTAFA ADEM TATLISU

Kişisel Bilgiler

İş Telefonu: [+90 216 566 4000](tel:+902165664000)

İş Telefonu: [+90 216 566 4000](tel:+902165664000) Dahili: 9716

Fax Telefonu: [+90 216 566 4000](tel:+902165664000)

E-posta: dr.adem.tatlisu@gmail.com

Web: <https://avesis.medeniyet.edu.tr/adem.tatlisu>

Eğitim Bilgileri

Post Doktora, Texas A&M University, Texas A&M Institute For Preclinical Studies, Cardiovascular Science, Amerika Birleşik Devletleri 2015 - 2017

Tıpta Uzmanlık, Sağlık Bilimleri Üniversitesi, Dr.Siyami Ersek Göğüs Kalp Ve Damar Cerrahisi Eğitim Ve Araştırma Hastanesi, Kardiyoloji, Türkiye 2009 - 2013

Lisans, Hacettepe Üniversitesi, Tıp Fakültesi, Türkiye 2002 - 2008

Yabancı Diller

İngilizce, C1 İleri

Yaptığı Tezler

Tıpta Uzmanlık, Can the T-peak to T-end interval be a predictor of mortality in patients with ST-elevation myocardial infarction?, Sağlık Bilimleri Üniversitesi, Dr. Siyami Ersek Göğüs Kalp Ve Damar Cerrahisi Eğitim Ve Araştırma Hastanesi, Kardiyoloji, 2013

Araştırma Alanları

Sağlık Bilimleri, Tıp, Dahili Tıp Bilimleri, Kardiyoloji

Mesleki Deneyim

SCI, SSCI ve AHCI İndekslerine Giren Dergilerde Yayınlanan Makaleler

- **Association of SYNTAX Score With Abdominal Aortic Intima-Media Thickness in Non-ST Elevation Myocardial Infarction.**
KAYA A., KESKIN M., Tatlisu M. A. , CINAR T.
Angiology, cilt.70, ss.569-570, 2019 (SCI İndekslerine Giren Dergi)
- **More About the Effect of Dynamic Potassium Change in STEMI.**
KAYA A., KESKIN M., Tatlisu M. A. , KAYAPINAR O.
Angiology, cilt.70, ss.89-90, 2019 (SCI Expanded İndekslerine Giren Dergi)
- **The predictive role of modified TIMI risk index in patients with ST-segment elevation myocardial infarction**
Kaya A., KESKIN M., GUVENC T. S. , Tatlisu M. A. , Kayapinar O.
ACTA CARDIOLOGICA, cilt.74, ss.29-36, 2019 (SCI İndekslerine Giren Dergi)
- **Effect of Dynamic Potassium Change on In-Hospital Mortality, Ventricular Arrhythmias, and Long-Term Mortality in STEMI**

KAYA A., KESKIN M., Tatlısu M. A. , KAYAPINAR O.

Angiology, cilt.70, ss.69-77, 2019 (SCI İndekslerine Giren Dergi)

- **Effect of Adjunctive Thrombus Aspiration on In-Hospital and 3-Year Outcomes in Patients With ST-Segment Elevation Myocardial Infarction and Large Native Coronary Artery Thrombus Burden.**

KESKIN M., KAYA A., Tatlısu M. A. , UZMAN O., BÖRKLÜ E., ÇINIER G., TEKKESIN A., TÜRKKAN C., HAYIROĞLU M., KOZAN Ö.

The American journal of cardiology, cilt.120, ss.1708-1714, 2017 (SCI Expanded İndekslerine Giren Dergi)

- **Analysis of geographical variations in the epidemiology and management of non-valvular atrial fibrillation: Results from the RAMSES registry**

Doğan V., Başaran Ö., Biteker M., KARADENİZ F. Ö. , HAMIDI M., GÜRSOY M. O. , ÖZTÜRK M. T. , AKSAN G., SEYİS S., BALLI M., et al.

Anatolian Journal of Cardiology, cilt.18, ss.273-280, 2017 (SCI İndekslerine Giren Dergi)

- **A novel prognostic indicator for in-hospital and 4-year outcomes in patients with pulmonary embolism: TIMI risk index.**

KESKIN M., GÜVENÇ T., HAYIROĞLU M., KAYA A., Tatlısu M. A. , AVSAR S., ÖZ A., KESKIN T., UZUN A., KOZAN Ö.

Journal of critical care, cilt.41, ss.183-190, 2017 (SCI Expanded İndekslerine Giren Dergi)

- **The association of blood urea nitrogen levels with mortality in acute pulmonary embolism.**

Tatlısu M. A. , KAYA A., KESKIN M., AVSAR Ş., BOZBAY M., TATLISU K., EREN M.

Journal of critical care, cilt.39, ss.248-253, 2017 (SCI Expanded İndekslerine Giren Dergi)

- **Guideline-adherent therapy for stroke prevention in atrial fibrillation in different health care settings: Results from RAMSES study**

Başaran Ö., Dogan V., Biteker M., KARADENİZ F. Ö. , TEKKESIN A. İ. , ÇAKILLI Y., TÜRKKAN C., HAMIDI M., DEMİR V., GÜRSOY M. O. , et al.

European Journal of Internal Medicine, cilt.40, ss.50-55, 2017 (SCI İndekslerine Giren Dergi)

- **A novel and useful predictive indicator of prognosis in ST-segment elevation myocardial infarction, the prognostic nutritional index.**

KESKIN M., HAYIROĞLU M., KESKIN T., KAYA A., Tatlısu M. A. , ALTAY S., UZUN A., BÖRKLÜ E., GÜVENÇ T., AVCIL., et al.

Nutrition, metabolism, and cardiovascular diseases : NMCD, cilt.27, ss.438-446, 2017 (SCI Expanded İndekslerine Giren Dergi)

- **CRT-D or CRT-P in CRT-indicated patients?**

KAYA A., Tatlısu M. A. , TEKKESIN A., ALPER A.

Anatolian journal of cardiology, cilt.17, ss.79-80, 2017 (SCI Expanded İndekslerine Giren Dergi)

- **Can we use plasma hyperosmolality as a predictor of mortality for ST-segment elevation myocardial infarction?**

Tatlısu M. A. , KAYA A., KESKIN M., UZMAN O., BÖRKLÜ E., ÇINIER G., HAYIROĞLU M., TATLISU K., EREN M.

Coronary artery disease, cilt.28, ss.70-76, 2017 (SCI Expanded İndekslerine Giren Dergi)

- **Effect of mean serum potassium level on in-hospital and long-term outcomes in ST segment elevation myocardial infarction.**

KESKIN M., KAYA A., Tatlısu M. A. , HAYIROĞLU M.

Anatolian journal of cardiology, cilt.16, ss.991, 2016 (SCI Expanded İndekslerine Giren Dergi)

- **The first six-month clinical outcomes and risk factors associated with high on-treatment platelet reactivity of clopidogrel in patients undergoing coronary interventions.**

TEKKESIN A., KAYA A., ÇAKILLI Y., TÜRKKAN C., HAYIROĞLU M., BÖRKLÜ E., KALENDEROĞLU K., GÜMÜŞDAĞ A., YILDIRIMTURK O., BOZBEYOĞLU E., et al.

Anatolian journal of cardiology, cilt.16, ss.967-973, 2016 (SCI Expanded İndekslerine Giren Dergi)

- **The association of the coronary thrombus burden with all-cause mortality and major cardiac events in ST-segment elevation myocardial infarction patients treated with tirofiban.**

Tatlısu M. A. , KAYA A., KESKIN M., UZMAN O., BÖRKLÜ E., ÇINIER G., HAYIROĞLU M., EREN M.

Coronary artery disease, cilt.27, ss.543-50, 2016 (SCI Expanded İndekslerine Giren Dergi)

- **Prognostic significance of fragmented QRS in acute pulmonary embolism.**

KARACA M., Tatlısu M. A. , ÖZCAN K., GÜNGÖR B., BOZBEYOĞLU E., YILDIRIMTURK O., ARUGASLAN E.,

ZENGİN A., CALIK A., NURKALEM Z., et al.

Acta cardiologica, cilt.71, ss.443-8, 2016 (SCI Expanded İndekslerine Giren Dergi)

- **Predictive role of heart rate turbulence in ischemic cardiomyopathy patients with frequent implantable cardioverter defibrillator (ICD) shock therapy**
CEKIRDEKCI E. I. , CAKMAK N., TEKESIN A. I. , Tatlısu A., KUCUK U., Uyarel H., GURKAN K.
International Journal of Clinical and Experimental Medicine, cilt.9, ss.8624-8631, 2016 (SCI İndekslerine Giren Dergi)
- **Neurologic outcome in patients with cardiac arrest complicating ST elevation myocardial infarction treated by mild therapeutic hypothermia: The experience of a tertiary institution.**
ARUGASLAN E., KARACA M., ÖZCAN K., ZENGİN A., Tatlısu M. A. , BOZBEYOĞLU E., SATILMIŞ S., YILDIRIMTURK O., YEKELER İ., NURKALEM Z.
Turk Kardiyoloji Dernegi arsivi : Turk Kardiyoloji Derneginin yayin organidir, cilt.44, ss.100-4, 2016 (SCI Expanded İndekslerine Giren Dergi)
- **ReAl-life multicenter survey evaluating stroke prevention strategies in non-valvular atrial fibrillation (RAMSES study)**
Başaran Ö., Beton O., Doğan V., TEKINALP M., AYKAN A. Ç. , KALAYCIOĞLU E., BOLAT İ., TAŞAR O., ŞAFAK Ö., KALÇIK M., et al.
Anatolian Journal of Cardiology, cilt.16, ss.734-741, 2016 (SCI İndekslerine Giren Dergi)
- **Sublingual vs. Oral Captopril in Hypertensive Crisis.**
KAYA A., Tatlısu M. A. , Kaplan K., YILDIRIMTURK O., GÜNGÖR B., KARATAS B., YAZICI S., KESKİN M., AVSAR S., MURAT A.
The Journal of emergency medicine, cilt.50, ss.108-15, 2016 (SCI Expanded İndekslerine Giren Dergi)
- **A case of Mobitz type II atrioventricular block due to Nerium oleander poisoning successfully managed with digoxin-specific Fab antibody fragments.**
Tatlısu M. A. , ÇEKİRDEKÇİ E., AKYÜZ Ş., NURKALEM Z.
Turk Kardiyoloji Dernegi arsivi : Turk Kardiyoloji Derneginin yayin organidir, cilt.43, ss.648-50, 2015 (SCI Expanded İndekslerine Giren Dergi)
- **Multiple coronary artery fistulae presenting with ST-elevation myocardial infarction.**
GÜRKAN U., ARUGASLAN E., Tatlısu M. A. , BOLCA O.
Anatolian journal of cardiology, cilt.15, 2015 (SCI Expanded İndekslerine Giren Dergi)
- **Inappropriate use of digoxin in patients presenting with digoxin toxicity.**
Tatlısu M. A. , ÖZCAN K., GÜNGÖR B., ZENGİN A., KARATAS M., NURKALEM Z.
Journal of geriatric cardiology : JGC, cilt.12, ss.143-6, 2015 (SCI Expanded İndekslerine Giren Dergi)
- **Authors' response**
ÇALIK A. N. , ÖZCAN K. S. , YÜKSEL G., GÜNGÖR B., ARUĞARSLAN E., VARLIBAŞ F., EKMEKÇİ A., OSMONOV D., Tatlısu A., KARACA M., et al.
Clinical interventions in aging, cilt.10, ss.471, 2015 (SCI Expanded İndekslerine Giren Dergi)
- **A case report of coronary artery aneurysm in a patient with Behçet's disease.**
GÜRKAN U., KAYA A., Tatlısu M. A. , AVSAR S.
Turk Kardiyoloji Dernegi arsivi : Turk Kardiyoloji Derneginin yayin organidir, cilt.42, ss.651-4, 2014 (SCI Expanded İndekslerine Giren Dergi)
- **Presence of early repolarization on admission electrocardiography is associated with long-term mortality and MACE in patients with STEMI undergoing primary percutaneous intervention.**
ÖZCAN K., GÜNGÖR B., Tatlısu M. A. , OSMONOV D., EKMEKÇİ A., CALIK A., ARUĞARSLAN E., ZENGİN A., BOLCA O., EREN M., et al.
Journal of cardiology, cilt.64, ss.164-70, 2014 (SCI Expanded İndekslerine Giren Dergi)
- **Can the T-peak to T-end interval be a predictor of mortality in patients with ST-elevation myocardial infarction?**
Tatlısu M. A. , ÖZCAN K., GÜNGÖR B., EKMEKÇİ A., ÇEKİRDEKÇİ E., ARUĞARSLAN E., CINAR T., ZENGİN A., KARACA M., EREN M., et al.
Coronary artery disease, cilt.25, ss.399-404, 2014 (SCI Expanded İndekslerine Giren Dergi)
- **Altered diastolic function and aortic stiffness in Alzheimer's disease.**
CALIK A., ÖZCAN K., YÜKSEL G., GÜNGÖR B., ARUĞARSLAN E., VARLIBAS F., EKMEKÇİ A., OSMONOV D.,

Tatlisu M. A. , KARACA M., et al.

Clinical interventions in aging, cilt.9, ss.1115-21, 2014 (SCI Expanded İndekslerine Giren Dergi)

- **Soluble TWEAK levels are independently associated with coronary artery disease severity in patients with stage 2-3 kidney disease.**

AZAK A., AKDOĞAN M., DENİZLİ N., HUDDAM B., KOÇAK G., GÜCÜN M., Tatlisu M. A. , DEMİRCİ R., YILMAZ B., DIKEÇ M., et al.

International urology and nephrology, cilt.46, ss.411-5, 2014 (SCI Expanded İndekslerine Giren Dergi)

- **Sick euthyroid syndrome is associated with poor prognosis in patients with ST segment elevation myocardial infarction undergoing primary percutaneous intervention.**

ÖZCAN K., OSMONOV D., TOPRAK E., GÜNGÖR B., Tatlisu A., EKMEKÇİ A., KAYA A., TAYYARECİ G., ERDİNLER İ.

Cardiology journal, cilt.21, ss.238-44, 2014 (SCI Expanded İndekslerine Giren Dergi)

- **Successful management of left main coronary artery thrombus with intracoronary thrombolysis**

GÜRKAN U., Tatlisu M. A. , ARUĞARSLAN E., BOLCA O.

Türk Kardiyoloji Dernegi Arsivi, cilt.42, ss.475-477, 2014 (SCI Expanded İndekslerine Giren Dergi)

Diğer Dergilerde Yayınlanan Makaleler

- **Successful percutaneous coronary intervention for chronic total occlusion via the radial artery.**

Tatlisu M. A.

Northern clinics of Istanbul, cilt.5, ss.160-162, 2018 (Diğer Kurumların Hakemli Dergileri)

- **Urban legend or real fact: Coronary artery size varies with demographics.**

Tatlisu M. A. , SARGIN M., KAYA A., TEKKESİN A., NURKALEM Z., AKA S.

Northern clinics of Istanbul, cilt.5, ss.20-24, 2018 (Diğer Kurumların Hakemli Dergileri)

- **Increased levels of red cell distribution width is correlated with presence of left atrial stasis in patients with non-valvular atrial fibrillation.**

KAYA A., TUKKAN C., ALPER A., GÜNGÖR B., ÖZCAN K., Tatlisu M. A. , TEKKESİN A., KARADENİZ F., GOK G., KAYAPINAR O.

Northern clinics of Istanbul, cilt.4, ss.66-72, 2017 (Diğer Kurumların Hakemli Dergileri)

- **Stent versus bypass: The reasons and risk factors for early readmission to hospital after myocardial revascularization.**

SARGIN M., Tatlisu M. A. , METE M., SELCUK N., BAYER S., AKANSEL S., AKA S., EREN M.

Northern clinics of Istanbul, cilt.3, ss.27-33, 2016 (Diğer Kurumların Hakemli Dergileri)

- **A Retained Bullet in Pericardial Sac: Penetrating Gunshot Injury of the Heart.**

KAYA A., CALISKAN E., Tatlisu M. A. , HAYIROĞLU M., TEKESİN A., ÇAKILLI Y., AVSAR S., ÖZ A., UZMAN O.

Case reports in cardiology, cilt.2016, ss.2427681, 2016 (Diğer Kurumların Hakemli Dergileri)

- **Anaphylactic shock associated with intravenous amiodarone.**

Serhan Ö., ZENGİN A., Tatlisu A., ARUĞARSLAN E., NURKALEM Z.

Journal of cardiology cases, cilt.9, ss.61-62, 2013 (Diğer Kurumların Hakemli Dergileri)

Atıflar

Toplam Atf Sayısı (WOS):122

h-İndeksi (WOS):6